

Absolutely desirable.

Czar system is here---exquisite all-in-one system with several models available for your applications. Performance you can feel, a product you can count on.

	15" Czar Core i5 All-in-one system PP8500-15 G PP8500-25 G	15" Czar J1900 All-in-one ystem (Fan-less) PP8100-15G PP8100-25G
Main Board		
СРИ	Support Skylake	Intel® Celeron® Processor J1900 (2M Cache, 2.0GHz,up to 2.42 GHz)
	Intel® Core [™] i5-6200U (3M Cache, 2.3GHz, up to 2.8 GHz)	
Chipset	Intel® H110 Chipset	Integrated
System Memory	1x SO-DIMM (204pin) Slot, DDR3L1333 MHz, Max 8GB	1x SO-DIMM (204pin) Slot, DDR3L 1333 MHz, Max 8GB
	Support (or DDR3 1866 MHz, Max 8GB) DDR3L1600 MHz, Max 8GB)	Registered DIMM or ECC DIMM is not supported
LCD Dawal	Registered DIMM or ECC DIMM is not supported	
LCD Panel ——	(4 EN)	1000 L
Panel Size	15"	15"
Maximum Resolution	1024 x 768	1024 x 768
Brightness	300 cd/m ²	300 cd/m ²
Contrast Ratio	2000:1	2000 : 1
Response Time	23 ms	23 ms
View Angles (H/V)	168/168	168/168
Touch Panel	Projected Capacitive Multi-Touch Panel(10 point)	Five Wires Resistive
Ctorono	Five Wires Resistive (option)	Projected Capacitive Multi-Touch Panel (10 point) (option)
Storage —	2.575.474	
HDD	2.5" SATA interface x 2	2.5" SATA interface x 1
Expansion —		
Mini PCI-E Slot	x 2 (1x3G/WiFi,1xmSATA)	x 2 (Mini PCI-E2 Support mSATA, Mini PCI-E1 Support WIFI and 3G)
Power	Input AC 100-240V 1.6A 50/60Hz, Output DC 12V 5A	Input AC 100-240V 1.6A 50/60Hz, Output DC 12V 5A
1/0		
USB	2 USB2.0 & 4 USB3.0	5 USB2.0 &1 USB3.0
Serial	x 4 (COM1/COM2 with 0V/5V/12V power selectable) (COM3 with RS-232/RS-485 selectable)	x 3 COM1/COM2 with 0V/5V/12V&COM3 with 0V/5V power selectal
LAN	x1	x1
LPT	x1	2
2nd VGA Output	x 1	x1
PS/2(keyboard)	0.70	x 1
Audio	1 Line Out & 1 Microphone In	2 Line Out & , 2 Microphone In
Control/Indicat	COLCOTTO SPORT SATERIAL SPORTS SEED AND	
Power Button	x1	x1
LED Indicators	Power (RED)	Power (RED)
Optional Perip		rowei (NED)
		ISO Track 1/2/2 LISB interface
Magnetic Card Reader	ISO Track 1/2/3, USB interface	ISO Track 1/2/3, USB interface
VFD customer display	20 x 2 characters, RS-232 interface	20 x 2 characters, RS-232 interface
Second Display	8"/10.4"(800 x 600) and 15"(1024 x768)	8"/10.4"(800 x 600) and 15"(1024 x768)
Second HDD	2.5" SATA interface	Б
Others	WiFi, iButton	WiFi, iButton
Dimensions —	955-756217#A4 (46.53-78400-900794944	System (Participation Company
15" PP Core i5 system	358(W) X 70.5(L) X 293(H) mm	15" PP Czar system 358(W) X 70.5(L) X 293(H) mm
15" PH Corei5 system	358(W) X231(L) X 308(H) mm	15"PH Czar system 358(W) X231(L) X 308(H) mm
	(with A4 desktop stand)	(with A4 desktop stand)
Environment —	W PART W	30 524 10 <u>3</u> 2
Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)	0°C ~ 40°C (32°F ~ 104°F)
Storage Temperature	- 20°C ~ 60°C (- 4°F ~ 140°F)	- 20°C ~ 60°C (- 4°F ~ 140°F)
Operating Humidity	10% - 80% RH non condensing	10% - 80% RH non condensing
	10 (194) 1 - (경기(194) 2 1) (1 2 170) 1 2 170(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)



www.ardax-tech.eu

ARDAX TECH GmbH

Am Schiffbeker Berg 6 D-22111 Hamburg , Germany TEL +49 40 466 5624 0 FAX +49 40 466 5624 55 info@ardax-tech.eu

Czar, Commitment to performance excellence

Its hallmark is operation excellence and it objective is to provide the best system for your applications.

With deep roots in the total solutions experience, as well as extensive knowledge and understanding of the market's needs, Birch releases the 15" Czar all-in-one system to support your heavy-duty applications in retails, hospitality, Kiosk... markets.

A system for all

Clean with a contemporary touch

Heavy duty for rigid environment.





Wall mounting

Water spilt proof





Desktop with A4 stand

By touch






Touch-and-print with A8V2 trunk

Unparalleled precision. Impossible to capture all in one look.

Inspired by high-speed CPU platform, the Czar all-in-one system design is sophisticated and clean with a contemporary touch by aluminum chassis.



TheChoices

You can have your choices on the stands of Czar system for your working environment and your applications. the Birch unique stands (A4 and A8V2) make your applications easy.



A4 stand for desktop Aluminum material

A8V2 trunk/stand

(with 80mm thermal printer built-in)

- built-in SEKIO printer mechanism (printerhead + Auto-Cutter)
- 200mm/second print speed
- international language support
- OPOS drivers.





